

JOB SPECIFICATION SHEET	1
EQUIPMENT CONFIGURATION	1
INSTALLATION & START-UP	2
9000/9100/9500 (3200 SERIES) ELECTRO MECHANICAL TIMER ASSEMBLY	5
POWER HEAD ASSEMBLY	6
9000 CONTROL VALVE ASSEMBLY	7
9100 CONTROL VALVE ASSEMBLY	10
9500 CONTROL VALVE ASSEMBLY	13
1600 BRINE VALVE SYSTEM (FOR 9500).....	15
1700 BRINE VALVE SYSTEM (FOR 9500).....	16
1710 BRINE VALVE SYSTEM (FOR 9500).....	17
3/4" METER ASSEMBLY.....	18
1" METER ASSEMBLY.....	19
1-1/2" METER ASSEMBLY	20
9000 SECOND TANK ASSEMBLY	21
9100 SECOND TANK ASSEMBLY	22
9500 SECOND TANK ASSEMBLY	23
2300 SAFETY BRINE VALVE.....	24
2310 SAFETY BRINE VALVE.....	25
2350 SAFETY BRINE VALVE.....	26
BYPASS VALVE ASSEMBLY (METAL)	27
BYPASS VALVE ASSEMBLY (PLASTIC)	28
GENERAL SERVICE HINTS FOR METER CONTROL	29
TROUBLESHOOTING	30
9000/9100/9500 METER FLOW DATA.....	31
9000/9100/9500 INJECTOR FLOW DATA (1600 SERIES INJECTORS).....	32
9500 INJECTOR FLOW DATA (1600 & 1700 SERIES INJECTORS)	33
9000 CONTROL DIMENSIONS	34
9100 CONTROL DIMENSIONS	35
9500 CONTROL DIMENSIONS	36
WATER CONDITIONER FLOW DIAGRAMS	37
9000/9500 WIRING DIGRAM.....	39
SERVICE ASSEMBLIES	40

Job Number: _____

Model Number: _____

Water Test: _____

Capacity Per Unit: _____

Mineral Tank Size: _____ Diameter: _____ Height: _____

Brine Tank Size & Salt Setting per Regeneration: _____

A. 82 minute available regeneration time, 1/15 RPM

B. 164 minute available regeneration time, 1/30 RPM

A. 3/4" Std Range (125 - 2,100 gallon setting)

B. 3/4" Ext Range (625 - 10,625 gallon setting)

C. 1" Std Range (310 - 5,270 gallon setting)

D. 1" Ext Range (1,150 - 26,350 gallon setting)

E. 1-1/2" Std Range (625 - 10,625 gallon setting)

F. 1-1/2" Ext Range (3,125 - 53,125 gallon setting)

A. Backwash: _____ Minutes

B. Brine and Slow Rinse: _____ Minutes

C. Rapid Rinse: _____ Minutes

D. _____ Minutes




Figure 1




Figure 2

42265_REV A

42266_REV A

A minimum of 25 pounds of water pressure is required for regeneration valve to operate effectively.

A continuous 115 volt, 60 Hertz current supply is required. Make certain the current supply is always hot and cannot be turned off with another switch.

Condition of existing plumbing should be free from lime and iron buildup. Piping that is built up heavily with lime and/or iron should be replaced. If piping is clogged with iron, a separate

The softener should be located close to a drain.

Always provide for the installation of a by-pass valve.

CAUTION

1. Place the softener tank where you want to install the unit.
2. During cold weather it is recommended that the installer warm the valve to room temperature before operating.
3. Perform all plumbing according to local plumbing codes.

Use a 1/2" minimum pipe size for the drain.



exceed 7 gpm or length that exceeds 20' (6 m).

- 4.
 - 5.
 - 6.
- with equal amounts of media.
- Cut if necessary. Use only non-aerosol silicone lubricant.
- Lubricate the distributor O-ring seal and tank O-ring seal. Place the main control valve on one tank and the tank adapter on the second tank.

- 7.

Solder joints near the drain must be done before
Leave at least 6" (152 mm) between the DLFC and solder
joints when soldering pipes that are connected on the
DLFC. Failure to do this could cause interior damage to
DLFC.

- 8.
 - 9.
 - 10.
- level.
- Place approximately 1" (25 mm) of water above the grid
the salt tank. Do not add salt to the brine tank at this time.
- 11.
 - 12.
 - 13.
- On units with a bypass, place in Bypass position.
- Turn on the main water supply.
- Open a cold soft water tap nearby and let water run a few minutes or until the system is free of foreign material

18. Cycle timer into backwash position. Turn manual knob so

position the tanks switch (lower piston) and the control valve moves to the backwash position (upper piston). Wait until the positioning of upper and lower pistons stops before advancing the timer further. If advanced too fast the control will not home into the In Service position (it will not advance to any other position). To correct this, rotate the manual knob back to In Service and start again into backwash.


19. With all the air backwashed, slowly cycle the timer to the

control drive motor to position itself in each cycle and stop, before advancing on to the next position.

- Once back in the In Service position, cycle the control valve again into the backwash position. The tanks switch again, and air head backwashes out of the other tank. Cycle the control back to the In Service position. Leave the timer in the open position. DO NOT insert meter cable yet.

1. Spin the valve onto the tank, ensuring the threads are not cross-threaded.
 2. Rotate the valve freely without using force until it comes to a stop (this position is considered zero).
 3. Rotate the valve clockwise from zero, between $\frac{1}{4}$ turn and $\frac{1}{2}$ turn (see Figure 6).

16174 Silicone, 2 oz Tube
16586-8 Silicone, Dow #7 8 L



continued

1. The control valve is set at the factory for backwash; brine any of these times by repositioning the pins and holes or adding more pins.

2. Calculate the desired salt setting using the brine line setting. Then, using one gallon of fresh water dissolving

A desired 30 lbs salt setting:

required.

$$10 \text{ gallons} \times 3 \text{ lbs/gals} = 30 \text{ lbs salt}$$

3. Setting the gallon wheel. Knowing the amount of resin in each tank and the salt setting per Regeneration, calculate the gallons available, using the following capacities as a guide:

(capacity per ft³ x ft³ of resin per tank) = gallons available
compensated hardness of H₂O

Tank Diameter	= 16"
Compensated Hardness	= 35 grains per gallon (tested sample)
ft ³	= 4
Ibs of Salt	= 8
Capacity per ft ³	= 24,000
<u>(24,000 x 4 ft³ of resin per tank)</u>	2,740 gallons
35 grains	= available before regeneration

Complete step 4 before setting gallons on the meter wheel.

4. Because the control valve regenerates with soft water from the other tank, subtract the water used for regeneration. Take each regeneration cycle and calculate the water used.

Unit is set for a 16" diameter tank with 4 ft³ of resin and salted at 8 lbs. per ft³, 7 gpm backwash, #3

for 10 min. backwash, 60 min. brine and rinse, 10

Backwash	10 min x 7.0 gpm	= 70.0 gal
Brine and Rinse	60 min x 1.0 gpm	= 60.0 gal
Rapid Rinse	10 min x 7.0 gpm	= 70.0 gal
Brine Tank Fill	10 min x 1.0 gpm	= 10.0 gal
Total Regeneration Water		= 210.0 gal


With the 2740 gallons available calculated in Step 3, subtract the Regeneration water used from the total water available.

2740 gallons available - 210 gallons used = 2530 gallons (in Regeneration, Step 4)

5. Set meter wheel at approximately 2530 gallons. Lift the inner dial of the meter program wheel so that you can rotate it freely. Position the white dot opposite the 2530 gallon setting.


6. Insert meter cable into meter.
7. Check bypass.
8. Plug in unit.

1	1	13870-03	Housing, Timer, 9000			
2	1	17870	Label, Indicator, 9000 Timer			
3	1	15465	Label, Caution			
4	1	16930	Label, Instruction			
5	1	15227	Plate, Clutch, Actuator			
6	1	10300	Screw, Slot Hex Washer, 18-8 x 3/8			
7	1	17513	Clip, Spring			
8	1	15407	Washer, Plain, #4			
9	1	15228	Spring, Return			
10	1	16270-10	Program Wheel Assy, 9000/9100, 3/4" STD, 0-2, 100			
	 16270-30	Program Wheel Assy, 9000/9100, 1" STD, 0-5, 100			
	 16270-40	Program Wheel Assy, 9000/9100, 1" EXT, 0-25, 500			
	 16270-50	Program Wheel Assy, 9000/9100/9500, 3/4" EXT, 1.5" STD, 0-10, 500			
	 16270-60	Program Wheel Assy, 9500, 1.5" EXT, 0-50, 000			
10A	24673	Volume Label, Metric, 9000/9100, 3/4" STD, 0-8m ³				
 24672	Volume Label, Metric, 9000/9100, 1" STD, 0-20m ³				
 24676	Volume Label, Metric, 9000/9100, 1" EXT, 0-100m ³				
 24675	Volume Label, Metric, 9000/9100/9500, 3/4" EXT, 1.5" STD 0-40m ³			25027 Volume Label, Metric, 9000/9100, 1.5" EXT 0-200m ³
 25027	Volume Label, Metric, 9500, 1.5" EXT, 1.5" EXT 0-200m ³				
 25027	Volume Label, Metric, 9000/9100, Volume Label, Metric, 9000/9100,				



1	2.....18728.....	Nut, Tinnerman, U Type, 8-32	16	2.....15172.....	Screw, Fit Hd Mach, 4-40 x 1 3/8 Steel Zinc Plate
2	1.....11838.....	Power Cord, 6' Fleck	17	2.....10340.....	Washer, Lock #4, Zinc
11839.....	Power Cord, 12' Fleck	18	2.....16433.....	Switch, Miniature
40084-12	Power Cord, 12' U.S., Round, 120V Sys 5, 6, 7 & 2900/3150/3900 #4	19	1.....10339.....	Nut, Hex, 4-40 Zinc Plated
19885-01	Power Cord Assy, Japanese	20	1.....15331.....	Screw, Hex Washer Mach, 10-24 x 3/4 410 S.S.
11545-01	Power Cord Assy, 4' Black, Euro w/Terminals	21	1.....15133.....	Gear Assy, Drive, 3/4" Stroke
14678.....	Power Cord, U.S., 220/60	22	1.....13547.....	Strain Relief, Flat Cord Heyco #30-1
19303-01	Power Cord Assy, Australian w/Terminals		1.....13547-01	Strain Relief, Round Cord
40085-12	Power Cord, 12' US, Round, 240V	23	1.....15810.....	Ring, Retaining
19674.....	Transformer, 24V, 9.6VA Residential Valves	24	1.....17331.....	Cam, 9000, 9100, 9500
41475.....	Transformer, 24V, 9.6VA, European	17765.....	Cam Assy, Aux Switch, 9000, 9100, 9500
3	1.....15202.....	Harness, 9000/9500, Drive	25	1.....15368.....	Tube, Cable Guide, 2-Tank, 9000/9100
14822.....	Harness, 2900	17337.....	Tube, Cable Guide, 9500
4	1.....15134.....	Gear Assy, Drive, 1/2" Stroke 9000/9500	26	2.....15372.....	Washer, Thrust, 3/8
5	1.....15135.....	Gear, Drive, 9000	27	1.....15425.....	Meter Cable Assy, 13.25" 9000/9100 3/4" STD & EXT
6	1.....14896.....	Wheel, Geneva	15216.....	Meter Cable Assy, 15.25" 9000/9100 1" STD & EXT
7	2.....40422.....	Nut, Wire, Tan	17744.....	Meter Cable Assy, 20.75" 9500 1.5" STD & EXT
8	2.....19367.....	Screw, Designer Cover, Thumb 8-32 Blank UV Stable Material	28	2.....15692.....	Washer, Plain, 3/8"
9	1.....15175.....	Label, Shaft Position	30	1.....10302.....	Insulator, Limit Switch
10	2.....14917.....	Ring, Retaining	31	2.....15173.....	Screw, Slot Rd Hd Mach, 5-20 x 3/8
11.....	1.....42296.....	Plate, Ground, 9000/9500	32	*	Complete 9000/9100/9500 Powerhead Assy
12	1.....14430.....	Screw, Hex Washer St, 6 x 1/4 Type "B"		1.....60232-110.....	Cover, Designer, 1 Pc Black
13	2.....19160.....	Screw, Phil Pan, Thread 6-32 x 3/8 Type 23 Zinc		1.....60232-112.....	Cover, Designer, 1 Pc Black w/Left Window, Electric
14	1.....18737.....	Motor, 24V, 50/60 Hz, 1 RPM		1.....60320-10	Switch Assy, Drive Cam, 9000, 9100, 9500
18738.....	Motor, 120V, 50/60 Hz 1 RPM			
18739.....	Motor, 220V, 50/60 Hz 1 RPM			
15	1.....15131.....	Backplate, 9000, Mechanical, SXT			
17784-05	Panel, Control, 9000/9500 XT			
17784-02	Panel, Control, 9000, 9500 w/ Terminal Block			

*Call your distributor for Part Number



continued

1.....1	14861	Valve Body, 900019149	Washer, Flow, 1.7 GPM
2.....15	13242	Seal, 5600,9000, 910012087	Washer, Flow, 2.0 GPM
3.....12	14241	Spacer, 5600,9000, 910012088	Washer, Flow, 2.4 GPM
4.....1	16595	Spacer, 9000, 910012089	Washer, Flow, 3.0 GPM
5.....1	42278	End Cap, Plastic, 9000/910012090	Washer, Flow, 3.5 GPM
6.....2	13363	Washer, Hague Drive12091	Washer, Flow, 4.0 GPM
7.....2	17020	Screw, STL. Hex Washer, 6-20 x 3/819147	Washer, Flow, 4.5 GPM
8.....2	11335	Screw, #4-4012092	Washer, Flow, 5.0 GPM
9.....1	14921	Link, Piston Rod17814	Washer, Flow, 6.0 GPM
10.....1	14919	Piston, Rod, Upper12408	Washer, Flow, 7.0 GPM
11.....2	14309	Retainer, Piston Rod	34.....1	Brine Valve Stem, 9000, 9100
12.....1	14914	Piston, 9000, 9100 Upper	35.....1	Seat, Brine Valve
13.....2	13243	Plug, End, 5600, 9000, 9100	36.....1	Spacer, Brine Valve
14.....2	10209	Quad Ring, -010	37.....1	Cap, Brine Valve
15.....2	13008	Retainer, End Plug Seal	38.....1	Spring, Brine Valve
16.....1	15019	Link, Piston Rod, 9000/9500, 9100	39.....1	Ring, Retaining, SS
17.....1	14920	Rod, Piston, Lower, 9000, 9100	40.....1	Washer, Nylon Brine
18.....1	14905	Pistion, 9000, 9100 Lower	41.....1	O-ring, -015
19.....1	40952	O-ring, -030	42.....1	Retainer, BLFC
20.....4	15331	Screw, Hex Washer Head	43.....1	Washer, Flow, 0.125 GPM
21.....2	13361	Spacer, 4600, 9000, 910012094	Washer, Flow, 0.25 GPM
22.....1	15215	Body, Injector, 9000, 910012095	Washer, Flow, 0.50 GPM
23.....2	13301	O-ring, -01112097	Washer, Flow, 1.0 GPM
24.....3	13302	O-ring, -014	44.....1	Quad Ring, -009
25.....1	10227	Screen, Injector	45.....1	Adapter, BLFC
26.....1	10913-000	Nozzle, Injector, #000, Brown	46.....1	Air Disperser, Injector
.....10913-00	Nozzle, Injector, #00, Violet	47.....1	O-ring, -215	
.....10913-0	Nozzle, Injector, #0, Red	48.....1	O-ring, -338	
.....10913-1	Nozzle, Injector, #1, White	50.....60400	Piston Assy, 9000, 9100 Upper	
.....10913-2	Nozzle, Injector, #2, Blue60400-01	Piston Assy, 9000 Upper, HW	
.....10913-3	Nozzle, Injector, #3, Yellow60400-001	Piston Assy, 9000, 9100 Upper, 560CD	
.....10913-4	Nozzle, Injector, #4, Green	51.....60401	Piston Assy, 9000, 9100 Lower	
27.....1	10914-000	Throat, Injector, #000, Brown60401-01	Piston Assy, 9000 Lower, HW
.....10914-00	Throat, Injector, #00, Violet60401-001	Piston Assy, 9000, 9100 Lower, 560CD	
.....10914-0	Throat, Injector, #0, Red	52.....60125	Seal & Spacer Kit, 5600/9000/9100 Upper	
.....10914-1	Throat, Injector, #1, White60125-15	Seal & Spacer Kit, 5600/9000/9100 Upper Blue	
.....10914-2	Throat, Injector, #2, Blue60125HW	Seal & Spacer Kit, 9000 Upper	
.....10914-3	Throat, Injector, #3, Yellow	53.....60421	Seal & Spacer Kit, 9000/9100 Lower	
.....10914-4	Throat, Injector, #4, Green60421HW	Seal & Spacer Kit, 9000 Lower	
28.....1	13166	Cap, Injector, 5600, 9000, 910060421-50	Seal & Spacer Kit, 9000/9100 Lower, 559PE
29.....1	13303	O-ring, -021	54.....60350	Brine Valve Assy, 9000, 9100
30.....2	13387	Screw, Hex Washer Head60350-01	Brine Valve Assy, 9000, 560CD, Hot Water
31.....1	15348	O-ring, -563	55.....60385-0011	Injector Drain, 9000, 9100, 0.25 BLFC #0 INJ, 1.2 DLFC
32.....1	13173-01	Retainer, DLFC Button60385-0111	Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 1.2 DLFC
33.....1	19153	Washer, Flow, 0.6 GPM		
.....19152	Washer, Flow, 0.8 GPM			
.....12097	Washer, Flow, 1.0 GPM			
.....12085	Washer, Flow, 1.2 GPM			
.....19150	Washer, Flow, 1.3 GPM			
.....12086	Washer, Flow, 1.5 GPM			

continued

..... 60385-0121.....Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 1.5 DLFC 60385-0383.....Injector Drain, 9000, 9100, 1.0 BLFC #3 INJ, 5.0 DLFC
..... 60385-0131.....Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 2.0 DLFC 60385-0393.....Injector Drain, 9000, 9100, 1.0 BLFC #3 INJ, 7.0 DLFC
..... 60385-0141.....Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 2.4 DLFC 60385-0120.....Injector Drain, 9000, 9100, Blank BLFC #1 INJ, 1.5 DLFC
..... 60385-0012.....Injector Drain, 9000, 9100, 0.50 BLFC #0 INJ, 1.2 DLFC	56..... 60022-12.....BLFC, 0.125 GPM, 5000/5600/9000/9100
..... 60385-0112.....Injector Drain, 9000, 9100, 0.50 BLFC #1 INJ, 1.2 DLFC 60022-25.....BLFC, 0.25 GPM, 5000/5600/9000/9100
..... 60385-0122.....Injector Drain, 9000, 9100, 0.50 BLFC #1 INJ, 1.5 DLFC 60022-50.....BLFC, 0.50 GPM, 5000/5600/9000/9100
..... 60385-0132.....Injector Drain, 9000, 9100, 0.50 BLFC #1 INJ, 2.0 DLFC 60022-100.....BLFC, 1.0 GPM, 5000/5600/9000/9100
..... 60385-0142.....Injector Drain, 9000, 9100, 0.50 BLFC #1 INJ, 2.4 DLFC	1 12128.....Label, 0.25 GPM BLFC
..... 60385-0182.....Injector Drain, 9000, 9100, 0.50 BLFC #1 INJ, 5.0 DLFC	1 13333.....Label, Injector
..... 60385-0222.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 1.5 DLFC	1 10760.....Label, 1 GPM, 3 lbs salt/min
..... 60385-0242.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 2.4 DLFC 10759.....Label, 0.5 GPM, 1.5 lbs salt
..... 60385-0252.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 3.0 DLFC 19654.....□ Flow
..... 60385-0262.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 3.5 DLFC	
..... 60385-0272.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 4.0 DLFC	
..... 60385-0282.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 5.0 DLFC	
..... 60385-02A2Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, 6.0 DLFC	
..... 60385-0202.....Injector Drain, 9000, 9100, 0.50 BLFC #2 INJ, Blank DLFC	
..... 60385-0372.....Injector Drain, 9000, 9100, 0.50 BLFC #3 INJ, 4.0 DLFC	
..... 60385-0382.....Injector Drain, 9000, 9100, 0.50 BLFC #3 INJ, 5.0 DLFC	
..... 60385-0482.....Injector Drain, 9000, 9100, 0.50 BLFC #4 INJ, 5.0 DLFC	
..... 60385-0133.....Injector Drain, 9000, 9100, 1.0 BLFC #1 INJ, 2.0 DLFC	
..... 60385-0143.....Injector Drain, 9000, 9100, 1.0 BLFC #1 INJ, 2.4 DLFC	
..... 60385-0163.....Injector Drain, 9000, 9100, 1.0 BLFC #1 INJ, 3.5 DLFC	
..... 60385-0233.....Injector Drain, 9000, 9100, 1.0 BLFC #2 INJ, 2.0 DLFC	
..... 60385-0243.....Injector Drain, 9000, 9100, 1.0 BLFC #2 INJ, 2.4 DLFC	
..... 60385-0253.....Injector Drain, 9000, 9100, 1.0 BLFC #2 INJ, 3.0 DLFC	
..... 60385-0263.....Injector Drain, 9000, 9100, 1.0 BLFC #2 INJ, 3.5 DLFC	
..... 60385-0273.....Injector Drain, 9000, 9100, 1.0 BLFC #2 INJ, 4.0 DLFC	
..... 60385-0353.....Injector Drain, 9000, 9100, 1.0 BLFC #3 INJ, 3.0 DLFC	
..... 60385-0373.....Injector Drain, 9000, 9100, 1.0 BLFC #3 INJ, 4.0 DLFC	



continued

1.....	1	40688.....	Valve Body Assy, 9100	12088.....	Washer, Flow, 2.4 GPM
2.....	15	13242.....	Seal, 5600,9000, 9100	12089.....	Washer, Flow, 3.0 GPM
3.....	12	14241.....	Spacer, 5600,9000, 9100	12090.....	Washer, Flow, 3.5 GPM
4.....	1	16595.....	Spacer, 9000, 9100	12091.....	Washer, Flow, 4.0 GPM
5.....	1	42278.....	End Cap, Plastic, 9000/9100	19147.....	Washer, Flow, 4.5 GPM
6.....	1	40952.....	O-ring, -030	12092.....	Washer, Flow, 5.0 GPM
7.....	4	15331.....	Screw, Hex Washer Head	17814.....	Washer, Flow, 6.0 GPM
8.....	1	14914.....	Piston, 9000, 9100 Upper	12408.....	Washer, Flow, 7.0 GPM
9.....	2	14309.....	Retainer, Piston Rod	33.....	1	14925..... Brine Valve Stem, 9000, 9100
10.....	1	14919.....	Piston, Rod, Upper	34.....	1	12626..... Seat, Brine Valve
11.....	2	13243.....	Plug, End, 5600, 9000, 9100	35.....	1	13167..... Spacer, Brine Valve
12.....	2	13008.....	Retainer, End Plug Seal	36.....	1	13165..... Cap, Brine Valve
13.....	2	10209.....	Quad Ring, -010	37.....	1	11973..... Spring, Brine Valve
14.....	1	14921.....	Link, Piston Rod	38.....	1	11981-01..... Ring, Retaining, SS
15.....	2	11335.....	Screw, #4-40	39.....	1	16098..... Washer, Nylon Brine
16.....	2	17020.....	Screw, STL. Hex Washer, 6-20 x 3/8	40.....	1	12977..... O-ring, -015
17.....	2	13363.....	Washer, Hague Drive	41.....	1	13245..... Retainer, BLFC
18.....	1	14905.....	Piston, 9000, 9100 Lower	42.....	1	17307..... Washer, Flow, 0.125 GPM
19.....	1	14920.....	Rod, Piston, Lower, 9000, 9100	12094.....	Washer, Flow, 0.25 GPM
20.....	1	15019.....	Link, Piston, Rod, 9000/9500	12095.....	Washer, Flow, 0.50 GPM
21.....	1	41500.....	O-ring, 9100 Drain	12097.....	Washer, Flow, 1.0 GPM
22.....	1	15215.....	Body, Injector, 9000, 9100	43.....	1	12550..... Quad Ring, -009
23.....	2	13301.....	O-ring, -011	44.....	2	13302..... O-ring, -014
24.....	1	10227.....	Screen, Injector	45.....	1	13244-01..... Adapter, BLFC
25.....	1	10913-000.....	Nozzle, Injector, #000, Brown	46.....	1	13497..... Air Dispereser, Injector
	 10913-00.....	Nozzle, Injector, #00, Violet	47.....	1	13361..... Spacer, 4600, 9100
	 10913-0.....	Nozzle, Injector, #0, Red	48.....	1	40538..... Retainer, 32 mm, O-ring DIST, 7000
	 10913-1.....	Nozzle, Injector, #1, White	49.....	1	61419..... Kit, 1.05" Distributor Adapter
	 10913-2.....	Nozzle, Injector, #2, Blue	50.....	60400..... Piston Assy, 9000, 9100 Upper
	 10913-3.....	Nozzle, Injector, #3, Yellow	60400-001.....	Piston Assy, 9000, 9100 Upper, 560CD
	 10913-4.....	Nozzle, Injector, #4, Green	51.....	60401..... Piston Assy, 9000, 9100 Lower
26.....	1	10914-000.....	Throat, Injector, #000, Brown	60401-01.....	Piston Assy, 9000 Lower, HW
	 10914-00.....	Throat, Injector, #00, Violet	60401-001.....	Piston Assy, 9000, 9100 Lower, 560CD
	 10914-0.....	Throat, Injector, #0, Red	52.....	60125..... Seal & Spacer Kit, 5600/9000/9100 Upper
	 10914-1.....	Throat, Injector, #1, White	60125-15.....	Seal & Spacer Kit, 5600/9000/9100 Upper Blue Silicone
	 10914-2.....	Throat, Injector, #2, Blue	53.....	60421..... Seal & Spacer Kit, 9000/9100 Lower
	 10914-3.....	Throat, Injector, #3, Yellow	60421-50.....	Seal & Spacer Kit, 9000/9100 Lower, 559PE
	 10914-4.....	Throat, Injector, #4, Green	54.....	60350..... Brine Valve Assy, 9000, 9100
27.....	1	13166.....	Cap, Injector, 5600, 9000, 9100	55.....	60385-0011..... Injector Drain, 9000, 9100, 0.25 BLFC #0 INJ, 1.2 DLFC
28.....	1	13303.....	O-ring, -021	60385-0111	Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 1.2 DLFC
29.....	2	13387.....	Screw, Hex Washer Head	60385-0121.....	Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 1.5 DLFC
30.....	1	15348.....	O-ring, -563	60385-0131.....	Injector Drain, 9000, 9100, 0.25 BLFC #1 INJ, 2.0 DLFC
31.....	1	13173-01.....	Retainer, DLFC Button	60385-0141.....	Injector Drain, 9000, 9100, 0.25
32.....	1	19153.....	Washer, Flow, 0.6 GPM			
	 19152.....	Washer, Flow, 0.8 GPM			
	 12097.....	Washer, Flow, 1.0 GPM			
	 12085.....	Washer, Flow, 1.2 GPM			
	 19150.....	Washer, Flow, 1.3 GPM			
	 12086.....	Washer, Flow, 1.5 GPM			
	 19149.....	Washer, Flow, 1.7 GPM			
	 12087.....	Washer, Flow, 2.0 GPM			


continued

..... 60385-0012.....Injector Drain, 9000, 9100, 0.50	BLFC #1 INJ, 2.4 DLFC 60022-12.....BLFC, 0.125 GPM, 5000/5600/9000/9100
..... 60385-0112.....Injector Drain, 9000, 9100, 0.50	BLFC #0 INJ, 1.2 DLFC 60022-25.....BLFC, 0.25 GPM, 5000/5600/9000/9100
..... 60385-0122.....Injector Drain, 9000, 9100, 0.50	BLFC #1 INJ, 1.2 DLFC 60022-50.....BLFC, 0.50 GPM, 5000/5600/9000/9100
..... 60385-0132.....Injector Drain, 9000, 9100, 0.50	BLFC #1 INJ, 1.5 DLFC 60022-100.....BLFC, 1.0 GPM, 5000/5600/9000/9100
..... 60385-0142.....Injector Drain, 9000, 9100, 0.50	BLFC #1 INJ, 2.0 DLFC	
..... 60385-0182.....Injector Drain, 9000, 9100, 0.50	BLFC #1 INJ, 2.4 DLFC	1 13333.....
..... 60385-0222.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 1.5 DLFC	
..... 60385-0242.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 2.4 DLFC	
..... 60385-0252.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 3.0 DLFC	
..... 60385-0262.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 3.5 DLFC	
..... 60385-0272.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 4.0 DLFC	
..... 60385-0282.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 5.0 DLFC	
..... 60385-02A2.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, 6.0 DLFC	
..... 60385-0202.....Injector Drain, 9000, 9100, 0.50	BLFC #2 INJ, Blank DLFC	
..... 60385-0372.....Injector Drain, 9000, 9100, 0.50	BLFC #3 INJ, 4.0 DLFC	
..... 60385-0382.....Injector Drain, 9000, 9100, 0.50	BLFC #3 INJ, 5.0 DLFC	
..... 60385-0482.....Injector Drain, 9000, 9100, 0.50	BLFC #4 INJ, 5.0 DLFC	
..... 60385-0133.....Injector Drain, 9000, 9100, 1.0	BLFC #1 INJ, 2.0 DLFC	
..... 60385-0143.....Injector Drain, 9000, 9100, 1.0	BLFC #1 INJ, 2.4 DLFC	
..... 60385-0163.....Injector Drain, 9000, 9100, 1.0	BLFC #1 INJ, 3.5 DLFC	
..... 60385-0233.....Injector Drain, 9000, 9100, 1.0	BLFC #2 INJ, 2.0 DLFC	
..... 60385-0243.....Injector Drain, 9000, 9100, 1.0	BLFC #2 INJ, 2.4 DLFC	
..... 60385-0253.....Injector Drain, 9000, 9100, 1.0	BLFC #2 INJ, 3.0 DLFC	
..... 60385-0263.....Injector Drain, 9000, 9100, 1.0	BLFC #2 INJ, 3.5 DLFC	
..... 60385-0273.....Injector Drain, 9000, 9100, 1.0	BLFC #2 INJ, 4.0 DLFC	
..... 60385-0353.....Injector Drain, 9000, 9100, 1.0	BLFC #3 INJ, 3.0 DLFC	
..... 60385-0373.....Injector Drain, 9000, 9100, 1.0	BLFC #3 INJ, 4.0 DLFC	
..... 60385-0383.....Injector Drain, 9000, 9100, 1.0	BLFC #3 INJ, 5.0 DLFC	
..... 60385-0393.....Injector Drain, 9000, 9100, 1.0	BLFC #3 INJ, 7.0 DLFC	
..... 60385-0120.....Injector Drain, 9000, 9100, Blank		

continued


42.....	60108.....	Piston Assy, 9500, Upper 60366-50.....	DLFC, 1"F x 3/4"F, NPT, 5.0 GPM
 60108-01.....	Piston Assy, 9500, Upper, HW 60366-60.....	DLFC, 1"F x 3/4"F, NPT, 6.0 GPM
 60108-02.....	Piston Assy, 9500, Upper, 560CD 60366-70.....	DLFC, 1"F x 3/4"F, NPT, 7.0 GPM
43.....	60109.....	Piston Assy, 9500, Lower 60708-00.....	DLFC, 1"F x 3/4"F, NPT, No Button
 60109-01.....	Piston Assy, 9500, HW, Lower 60708-8.0.....	DLFC, 1"F x 3/4"F, NPT, 8.0 GPM
 60109-02.....	Piston Assy, 9500, Lower, 560CD 60708-9.0.....	DLFC, 1"F x 3/4"F, NPT, 9.0 GPM
44.....	60134.....	Seal & Spacer Kit, 9500, Upper, Hot & Cold 60708-10.....	DLFC, 1"F x 3/4"F, NPT, 10.0 GPM
 60134-20.....	Seal & Spacer Kit, 9500, Upper, Plastic Spacers 60708-12.....	DLFC, 1"F x 3/4"F, NPT, 12.0 GPM
 60134-30.....	Seal & Spacer Kit, 9500, Upper, Plastic Spacers, Chemical Resistant Seals 60708-15.....	DLFC, 1"F x 3/4"F, NPT, 15.0 GPM
45.....	60133-01.....	Seal & Spacer Kit, 9500, Lower, Hot & Cold 60721-00.....	DLFC, 1"F x 1"F, NPT, No Button
 60133-20.....	Seal & Spacer Kit, 9500, Lower, Plastic Spacers 60721-06.....	DLFC, 1"F x 1"F, NPT, 0.06 GPM
 60133-30.....	Seal & Spacer Kit, 9500, Upper, Plastic Spacers, Chemical Resistant Seals 60721-08.....	DLFC, 1"F x 1"F, NPT, 0.08 GPM
46.....	60381-03.....	Injector Assy, 1700, #3C 60721-10.....	DLFC, 1"F x 1"F, NPT, 1.0 GPM
 60381-04.....	Injector Assy, 1700, #4C 60721-12.....	DLFC, 1"F x 1"F, NPT, 1.2 GPM
 60381-05.....	Injector Assy, 1700, #5C 60721-13.....	DLFC, 1"F x 1"F, NPT, 1.3 GPM
 60381-06.....	Injector Assy, 1700, #6C 60721-15.....	DLFC, 1"F x 1"F, NPT, 1.5 GPM
47.....	60480-00.....	Injector Assy, 1600, #0, Plastic 60721-00.....	DLFC, 1"F x 1"F, NPTF, No Button
 60480-01.....	Injector Assy, 1600, #1, Plastic 60721-17.....	DLFC, 1"F x 1"F, NPTF, 1.7 GPM
 60480-02.....	Injector Assy, 1600, #2, Plastic 60721-20.....	DLFC, 1"F x 1"F, NPTF, 2.0 GPM
 60480-03.....	Injector Assy, 1600, #3, Plastic 60721-24.....	DLFC, 1"F x 1"F, NPTF, 2.4 GPM
 60480-04.....	Injector Assy, 1600, #4, Plastic 60721-30.....	DLFC, 1"F x 1"F, NPTF, 3.0 GPM
 60481-21.....	Injector Assy, 1600, #1, S.S. Brass, HW 60721-35.....	DLFC, 1"F x 1"F, NPTF, 3.5 GPM
 60481-22.....	Injector Assy, 1600, #2, S.S. Brass, HW 60721-40.....	DLFC, 1"F x 1"F, NPTF, 4.0 GPM
 60481-23.....	Injector Assy, 1600, #3, S.S. Brass, HW 60721-45.....	DLFC, 1"F x 1"F, NPTF, 4.5 GPM
 60080-11.....	Injector Assy, 1600, #1, PVC 60721-50.....	DLFC, 1"F x 1"F, NPTF, 5.0 GPM
 60080-12.....	Injector Assy, 1600, #2, PVC 60721-60.....	DLFC, 1"F x 1"F, NPTF, 6.0 GPM
 60080-14.....	Injector Assy, 1600, #4, PVC 60721-70.....	DLFC, 1"F x 1"F, NPTF, 7.0 GPM
 60366-00.....	DLFC, 1"F x 3/4"F, NPT, No Button 60702-00.....	DLFC, 1"M x 1"F, NPT, Brass, No Button
 60366-06.....	DLFC, 1"F x 3/4"F, NPT, 0.6 GPM 60702-8.0.....	DLFC, 1"M x 1"F, NPT, 8.0 GPM
 60366-08.....	DLFC, 1"F x 3/4"F, NPT, 0.8 GPM 60702-9.0.....	DLFC, 1"M x 1"F, NPT, 9.0 GPM
 60366-10.....	DLFC, 1"F x 3/4"F, NPT, 1.0 GPM 60702-10.....	DLFC, 1"M x 1"F, NPT, 10 GPM
 60366-12.....	DLFC, 1"F x 3/4"F, NPT, 1.2 GPM 60702-12.....	DLFC, 1"M x 1"F, NPT, 12 GPM
 60366-13.....	DLFC, 1"F x 3/4"F, NPT, 1.3 GPM 60702-15.....	DLFC, 1"M x 1"F, NPT, 15 GPM
 60366-15.....	DLFC, 1"F x 3/4"F, NPT, 1.5 GPM		
 60366-17.....	DLFC, 1"F x 3/4"F, NPT, 1.7 GPM		
 60366-20.....	DLFC, 1"F x 3/4"F, NPT, 2.0 GPM		
 60366-24.....	DLFC, 1"F x 3/4"F, NPT, 2.4 GPM		
 60366-30.....	DLFC, 1"F x 3/4"F, NPT, 3.0 GPM		
 60366-35.....	DLFC, 1"F x 3/4"F, NPT, 3.5 GPM		
 60366-40.....	DLFC, 1"F x 3/4"F, NPT, 4.0 GPM		
 60366-45.....	DLFC, 1"F x 3/4"F, NPT, 4.5 GPM		

1.....1 16960.....Tube, Brine Valve
1 16960.....Tube, Brine Valve, HW
2.....1 10329.....Fitting, Tube, 3/8 Nut, Brass
..... 18698.....Nut, 3/8" TUBE, W/Sleeve, HW
3.....1 10330.....Fitting, Sleeve, 3/8 Celcon
4.....1 10332.....




1.....1 14792.....Plug, End, Brine Valve
 2.....1 13201.....Quad Ring, -020
 13201-01.....Quad Ring, -20, 560CD
 3.....1 12550.....Quad Ring, -009
 12550-01.....Quad Ring, -009, 560CD
 4.....1 14785-01.....Retainer, Flow Control
 5.....2 14811O-ring, -210, 560CD, Brine
 6.....1 14795.....Piston, Brine Valve
 7.....1 16929.....Brine Valve Stem, Coated
 8.....1 15415.....Fitting, Insert, 1/2" Tube
 9.....1 16124.....Fitting, Sleeve, Delrin
 10.....1 16123.....Nut, Brass
 11.....1 15137.....Screw, Hex Washer Mach,
 10-24 x 3/8
 12.....1 10269.....Nut, Jam, 3/4 - 16
 13.....1 16922.....Bracket, Brine Valve Mounting
 14.....2 10250.....Ring, Retaining
 15.....1 15310.....Spring, Brine Valve
 16.....2 14790.....Brine Valve Body
 17.....1 14798.....Spacer, 1700, Brine
 18.....1 15414.....Nut, 2900, w/Sleeve
 19.....1 15413.....Fitting, Elbow, Male, 1/2T x 3/8
 NPT
 20.....1 16959.....Tube, Brine 9500/1710, 10.6"
 16959-01.....Tube, Brine Valve 9500/1710,
 CPVC, Hot Water

21.....60039-10.....Brine Valve Assy. 9500/1700 1.0
 GPM
 60039-12.....Brine Valve Assy. 9500/1700 1.2
 GPM
 60039-15.....Brine Valve Assy. 9500/1700 1.5
 GPM
 60039-20.....Brine Valve Assy. 9500/1700 2.0
 GPM
 60039-24.....Brine Valve Assy. 9500/1700 2.4
 GPM
 60039-30.....Brine Valve Assy. 9500/1700 3.0
 GPM
 60039-50.....Brine Valve Assy. 9500/1700 5.0
 GPM
 60039-00.....Brine Valve Assy. 9500/1700
 Blank
 22.....12097Washer, Flow, 1.0 GPM
 12085Washer, Flow, 1.2 GPM
 19150Washer, Flow, 1.3 GPM
 12086Washer, Flow, 1.5 GPM
 19149Washer, Flow, 1.7 GPM
 12087Washer, Flow, 2.0 GPM
 12088Washer, Flow, 2.4 GPM
 12089Washer, Flow, 3.0 GPM
 12090Washer, Flow, 3.5 GPM
 12091Washer, Flow, 4.0 GPM
 19147Washer, Flow, 4.5 GPM
 12092Washer, Flow, 5.0 GPM
 17814Washer, Flow, 6.0 GPM
 12408Washer, Flow, 7.0 GPM




- 1.....1 41202.....Brine Valve, 1700, Plastic, Top
- 2.....1 14785-01.....Retainer, Flow Control
- 3.....2 14811O-ring, -210, 560CD, Brine
- 4.....1 14798.....Spacer, 1700, Brine
- 5.....1 14795.....Piston, Brine Valve
- 6.....1 41429.....Stem, Brine, 1710, Plastic, 9500
- 7.....1 41201.....Brine Valve, 1700, Plastic, Bottm
- 8.....1 12550.....Ring, Quad, -009
- 9.....1 17908.....Sleeve, Brine Valve Stem
- 10.....1 41547.....O-ring, 2mm x 35mm
- 11.....1 15310.....Spring, Brine Valve
- 12.....1 10250.....Ring, Retaining
- 13.....1 17906-01.....Guide, Brine Valve Stem
- 14.....4 14202-01.....Screw, Hex Washer, Mach, 8-32
x 5/16"
- 15.....2 41056.....Nut Assy, 1/2" Plastic
- 16.....1 41493-XX.....Label, BLFC, 1710 (Specify
GPM)
- 17.....1Washer, Flow (Specify GPM)
- 18.....3 15415.....Fitting, Insert, 1/2", Tube
- 19.....1 15414.....Nut, 2900, w/Sleeve
- 20.....1 16959.....Tube, Brine 9500/1700, 10.6"



42293_REV A


- 1.....1 14613.....Flow Straightener
- 2.....4 12473.....Screw, Hex Washer, 10-24 x 5/8
- 3.....1 14038.....Meter Cap Assy, STD, Plastic
- 4.....1 13847.....O-ring, -137, Std/560CD, Meter
- 5.....1 13509.....Impeller, Meter
- 6.....4 13314.....Screw, Slot Ind Hex, 8-18 x .60
- 7.....4 13255.....Clip, Mounting
- 8.....4 13305.....O-ring, -119
- 9.....1 15150.....Meter Cap Assy, EXT, Plastic
Paddle
- 10.....1 13821.....Body, Meter, 5600
- 11.....1 60086.....Meter Assy, 3/4" Dual Port, Slip,
STD, Plastic, Paddlewheel, w/
Clips
- 12.....1 60087.....Meter Assy, 3/4" Dual Port, Slip,
EXT, Plastic, Paddlewheel, w/
Clips



1.....	4.....	12112.....	Screw, Hex Hd Mach 10-24 x 1/2	60389-001.....	Meter Assy, 1" Dual Port, NPT, STD, BRS BDY, 560CD, PDL, W/ CLPS
2.....	1.....	15218.....	Meter Cap Assy, Brass, Standard	60389-001NP.....	Meter Assy, 1" Dual Port, NPT, STD, BRS BDY, 560CD, PDL, W/ CLPS
		14038.....	Meter Cap Assy, Standard	60389NP.....	Meter Assy, 1" Dual Port, NPT, STD, BRS BDY, NP, PDL, W/ CLPS
3.....	1.....	13847.....	O-ring, -137, STD/560CD, Meter	60612.....	Meter Assy, 1" Dual Port, NPT, STD, BRS, HW, PDL
4.....	1.....	13509.....	Impeller, Meter	60612NP.....	Meter Assy, 1" Dual Port, NPT, STD, BRS, HW, NP, PDL
		13509-01.....	Impeller, Celcon	61575.....	Meter Assy, 1" Dual Port, NPT, STD, BRS BDY, PDL, W/O CLP & SCW
5.....	1.....	13882.....	Post, Meter Impeller	60389-20.....	Meter Assy, 1" Dual Port, BSP/ Metric, STD, BRS BDY, PDL, W/ CLPS
6.....	1.....	15043.....	Body, Meter, 9000 1"	60390-20.....	Meter Assy, 1" Dual Port, BSP/ Metric, EXT, BRS BDY, PDL, W/ CLPS
7.....	1.....	14960.....	Flow Straightener, 1"	60632-20.....	Meter Assy, 1" Dual Port, BSP/ Metric, EXT, BRS, HW, PDL
8.....	4.....	13305.....	O-ring, -119	60612-20.....	Meter Assy, 1" Dual Port, BSP/ Metric, STD, BRS, HW, PDL
9.....	2.....	15078.....	Adapter, 1" Coupling			
10.....	2.....	13255.....	Clip, Mounting			
11.....	2.....	14202-01.....	Screw, Hex Washer Mach, 8-32 x 5/16			
12.....	1.....	15150.....	Meter Cap Assy, Ext, Plastic Paddle			
		15237.....	Meter Cap Assy, Ext, Brass Paddle			
13.....		60390.....	Meter Assy, 1" Dual Port, NPT, EXT, BRS BDY, PDL, W/CLPS			
		60390-001.....	Meter Assy, 1" Dual Port, NPT, EXT, BRS BDY, 560CD, PDL, W/ CLPS			
		60390NP.....	Meter Assy, 1" Dual Port, NPT, EXT, BRS BDY, NP, PDL, W/ CLPS			
		60632.....	Meter Assy, 1" Dual Port, NPT, EXT, BRS, HW, PDL			
		60632NP.....	Meter Assy, 1" Dual Port, NPT, EXT, BRS, HW, NP, PDL			
		60389.....	Meter Assy, 1" Dual Port, NPT, STD, BRS BDY, PDL, W/CLPS			


1.....1 17569.....Body, Meter, 2850/9500
2.....1 13882.....Post, Meter Impeller
3.....1 13509.....Impeller, Meter
.....1 13509-01.....Impeller, Celcon, Hot Water
4.....1 13847.....O-Ring, -137, Std/560CD, Meter
5A1 14038.....Meter Cap Assy, STD Range,
Plastic
5B1 15150.....Meter Cap Assy, Ext Range,
Plastic
6.....4 12112.....Screw, Hex Hd Mach, 10-24 x
1/2 18-8 Stainless Steel
7.....1 17542.....Flow Straightener, 1-1/2"
8.....1 12733.....O-Ring, -132
9.....1 17544.....Fitting, 1-1/2" Quick Connector
10.....1 17543.....Nut, 1-1/2", Q/C
1160610-01.....Meter Assy, 1-1/2", NPT, STD,
Brass, Paddlewheel
.....60610-21.....Meter Assy, 1-1/2", BSP, STD,
Brass, Paddlewheel
12.....60610-02.....Meter Assy, 1-1/2", NPT, STD,
Brass Paddlewheel
.....60610-22.....Meter Assy, 1-1/2", BSP, EXT,
Brass, Paddlewheel

1 17790.....Sleeve, Meter, 1 1/2" x 1"
1 15218.....Meter Cap Assy, STD Range,
Brass, Hot Water
1 15237.....Meter Cap Assy, EXT Range,
Brass, Hot Water
.....Sleeve, Meter, 1.5" x 1"




42282_REVA


- 1.....1 14864-01.....Adapter, 9000, 2nd Tank, Machd w/O-rings
- 2.....8 13305.....O-ring, -119
- 3.....1 11710O-ring, -215
- 4.....1 12281.....O-ring, -338
- 5.....2 13708-40.....Yoke, 1" Sweat
 -1 15823-XX.....Yoke Assy. Specify Tank Size
- 6.....4 13255.....Clip, Mounting
- 7.....4 14202-01.....Screw, Hex Washer Mach, 8-32 x 5/16
- 8.....4 15078.....Adapter, 1" Coupling
- 9.....15823-06.....9000 Tube Assy, 6" Dia. Tank Only (Overall Length 7.25)
 -15823-06NP.....9000 Tube Assy, 6" Dia. Tank Only (Overall Length 7.25)
 -15823-12.....9000 Tube Assy, 6" to 12" Dia. Tank (Overall Length 9.75)
 -15823-12NP.....9000 Tube Assy, 6" to 12" Dia. Tank (Overall Length 9.75)
 -15823-14.....9000 Tube Assy, 14" Dia. Tank (Overall Length 11.75)
 -15823-14NP.....9000 Tube Assy, 14" Dia. Tank (Overall Length 11.75)
 -15823-16.....9000 Tube Assy, 16" Dia. Tank (Overall Length 13.75)
 -15823-16NP.....9000 Tube Assy, 16" Dia. Tank (Overall Length 13.75)




- 1.....4 40678.....Ring, 9100, Yoke Retainer
- 2.....4 13287.....O-ring, -123
- 3.....1 14865.....Adapter Assy, 2nd Tank, 9100
- 4.....1 19054.....O-ring, -124
- 5.....1 40538.....Retainer, 32mm, O-ring Dist, 7000
- 6.....1 61419.....Kit, 1.05" Distributor, Adapter
- 7.....1 18303.....O-ring, -336
- 8.....4 13255.....Clip, Mounting
- 9.....4 14202-01.....Screw, Hex Washer Mach, 8-32 x 5/16
- 10.....60425-9.....Tube Assy, 9100 8-9" Tank
.....60425-12.....Tube Assy, 9100 6-12" Tank
.....60425-16.....Tube Assy, 9100 13-16" Tank



- 1.....1 13577O-ring, -226
- 2.....1 16455O-ring, -347
- 3.....8 10231Screw, Slot Hex, 1/4 - 20 x 1/2
- 4.....4 17224O-ring, -224
- 5.....1 16916-01Adapter, 9500, 2nd Tank, NPT
 - 16916-21Adapter, 9500, 2nd Tank, Metric
 - 16916-01NPAdapter, 9500, 2nd Tank, NPT,
Nickel Plated
- 6.....17465-16Tube Assy, 2nd Tank, 16" 9500
 - 17465-16NPTube Assy, 2nd Tank, 16" 9500
Nickel Plated
 - 17465-20Tube Assy, 2nd Tank, 20" 9500
 - 17465-24Tube Assy, 2nd Tank, 24" 9500
 - 17465-24NPTube Assy, 2nd Tank, 24" 9500
Nickel Plated




- 1.....1 19645.....Body, Safety Brine Valve, 2310
- 2.....1 19803.....Safety Brine Valve Assy
- 3.....1 19804.....Screw, Sckt Hd, Set, 10-24 x .75
- 4.....1 19805.....Nut, Hex, 10-24, Nylon Black
- 5.....1 19652-01.....Poppet Assy, SBV w/O-ring
- 6.....1 19649.....Flow Dispenser
- 7.....1 11183O-ring, -017
- 8.....1 19647.....Elbow, Safety Brine Valve
- 9.....2 19625.....Nut Assy, 3/8" Plastic
- 10.....1 18312.....Retainer, Drain
- 11.....1 60014.....Safety Brine Valve Assy, 2310
- 12.....2 10150.....Grommet, .30 Dia
- 13.....1 60068-8.06.....Float Assy, 2310, w/8.06" Rod
.....60068-10.5.....Float Assy, 2310, w/10.5" Rod
.....60068-11.5.....Float Assy, 2310, w/11.5" Rod
.....60068-20.....Float Assy, 2310, w/20" Rod
.....60068-30.....Float Assy, 2310, w/30" Rod




42303_REV A

- 1.....1 60038.....Safety Brine Valve, 2350
1A1 61024.....Actuator Assy, 2350 Brine
2.....1 60028-30.....Float Assy, 2350, 30" Wht
.....1 60026-30SAN ...Float Assy, 2350, 30" Hot Water
3.....1 60009-00.....Air Check, #900, Commercial
Less Fittings
.....1 60009-01.....Air Check, #900, Commercial,
Hot Water Less Fittings
-1 18603.....Fitting Assy, 900 Air Check 2350
.....1 18602.....Fitting Assy, 900 Air Check



- 1.....1 40614.....Bypass Body, 3/4"
- 40634.....Bypass Body, 1", SS
- 2.....1 14105.....Seal, Bypass, 560CD
- 3.....1 11972Plug, Bypass
- 4.....1 11978Side Cover
- 5.....1 13604-01.....Label
- 6.....8 15727.....Screw, 10-24 x 0.5"
- 7.....1 11986Side Cover
- 8.....1 11979Lever, Bypass
- 9.....1 11989Screw, Hex Head, 1/4-14 x 1.5"
- 10.....1 60040SSBypass Valve, 5600, 3/4" NPT
Blk Grip Lever, SS
- 60041SSBypass Valve, 5600, 1" NPT Blk
Grip Lever, SS
- *2 19228-01.....Adapter Assy, Coupling,
w/O-rings

*Not Shown



- 1.....2 13305.....O-ring, -119
- 2.....2 13255.....Clip, Mounting
- 3.....2 13314.....Screw, Slot Ind Hex, 8-18 x .60
- 4A1 18706.....Yoke, 1", NPT, Plastic
 - 18706-02.....Yoke, 3/4", NPT, Plastic
- 4B1 13708-40.....Yoke, 1", Sweat
 - 13708-45.....Yoke, 3/4", Sweat
 - 19275.....Yoke, Angle 90 Deg, 3/4", NPT
 - 19275-45.....Yoke, Angle 90 Deg, 3/4" Sweat
 - 19620-01.....Yoke Assy, 3/4", R/Angle, 90 Deg w/O-rings, Clips & Screws
 - 40636.....Yoke, 1 1/4", NPT
 - 40636-49.....Yoke, 1 1/4", Sweat
 - 41027-01.....Yoke, 3/4", NPT, Cast, Machined
 - 41026-01.....Yoke, 1", NPT, Cast, Machined, SS
 - 41026-02.....Yoke, 1", BSP, Cast, MACHD, SS
 - 18706-10.....Yoke, 1", BSP, Plastic
 - 41027-02.....Yoke, 3/4", BSP, Cast, MACHD
 - 18706-12.....Yoke, 3/4", BSP, Plastic
 - 19620-01.....Yoke Assy, 3/4", R/Angle, 90 Deg
- 5.....1 60049.....Bypass Plastic
- *2 19228-01.....Adapter Assy, Coupling, w/O-rings

*Not Shown

Reserve capacity has been exceeded.

Check salt dosage requirements and reset
program wheel to provide additional reserve.

Program wheel is not rotating with meter output.


Pull cable out of meter cover and rotate manually.
Program wheel must move without binding and clutch must
give positive clicks when program wheel strikes regeneration
stop. If it does not, replace timer.

Check meter with meter checker.


Water conditioner fails to regenerate.	Electrical service to unit has been interrupted	Assure permanent electrical service (check fuse, plug, pull chain, or switch)
	Timer is defective.	Replace timer.
	Power failure.	Reset time of day.
Hard water.	By-pass valve is open.	Close by-pass valve.
	No salt is in brine tank.	Add salt to brine tank and maintain salt level above water level.
	Injector screen plugged.	Clean injector screen.
		control if plugged.
	Hot water tank hardness.	required.
	Leak at distributor tube.	Make sure distributor tube is not cracked. Check O-ring and tube pilot.
	Internal valve leak.	Replace seals and spacers and/or piston.
Unit used too much salt.	Improper salt setting.	Check salt usage and salt setting.
	Excessive water in brine tank.	See "Excessive water in brine tank".
Loss of water pressure.	Iron buildup in line to water conditioner.	Clean line to water conditioner.
	Iron buildup in water conditioner.	Clean control and add mineral cleaner to mineral bed. Increase frequency of regeneration.
	Inlet of control plugged due to foreign material broken loose from pipes by recent work done on plumbing system.	Remove piston and clean control.
Loss of mineral through drain line.	Air in water system.	Assure that well system has proper air eliminator control. Check for dry well condition.
		Check for proper drain rate.
Iron in conditioned water.	Fouled mineral bed.	Increase frequency of regeneration. Increase backwash time.
Excessive water in brine tank.		
	Plugged injector system.	Clean injector and screen.
	Timer not cycling.	Replace timer.
	Foreign material in brine valve.	Replace brine valve seat and clean valve.
Softener fails to draw brine.		
	Injector is plugged.	Clean injector
	Injector screen plugged.	Clean screen.
	Line pressure is too low.	Increase line pressure to 20 psi
	Internal control leak	Change seals, spacers, and piston assembly.
	Service adapter did not cycle.	Check drive motor and switches.
Control cycles continuously.	Misadjusted, broken, or shorted switch.	Determine if switch or timer is faulty and replace it, or replace complete power head.
	Valve is not programming correctly.	Check timer program and positioning of control. Replace power head assembly if not positioning properly.
	Foreign material in control.	Remove power head assembly and inspect bore. Remove foreign material and check control in various regeneration positions.
	Internal control leak.	Replace seals and piston assembly.

9000 Meter Flow Data

3/4" Mechanical Meter




1" Brass Meter




9100 Meter Flow Data

3/4" Mechanical Meter




1" Brass Meter




TR: 18467
41092

9500 Meter Flow Data

1&1/2" Meter





1&1/2" Meter Sleeved




TR: 18467
41092


□ □ □ □








1600 Series Injectors





1700 Series Injectors


















61500-9500LNE_REV A



continued





60022-12	BLFC, .125 GPM, 5000/5600/9000/9100	
60022-25	BLFC, .25 GPM, 5000/5600/9000/9100	
60022-50	BLFC, .50 GPM, 5000/5600/9000/9100	
60022-100	BLFC, 1.0 GPM, 5000/5600/9000/9100	
60350.....	Brine Valve Assy, 9000/9100	
60020-25	BLFC, .25 GPM, 1600	
60020-50	BLFC, .50 GPM, 1600	
60020-100	BLFC, 1.0 GPM, 1600	
60037-610	Brine Valve, 9500/1600, .25 GPM, Cold & HW 180°	
60037-620	Brine Valve, 9500/1600, .50 GPM, Cold & HW 180°	
60037-630	Brine Valve, 9500/1600, 1.0 GPM, Cold & HW 180°	
60350.....	Brine Valve Assy 9000/9100, Cold & HW 180°	
60350-01	□ □ Cold & HW 180°	
60039-XX.....	Brine Valve, 1700/9500, Cold & HW 180°	
60040SS.....	Bypass Valve, 5600, 3/4" NPT	
60041SS.....	Bypass Valve, 5600, 1" NPT	
60049.....	Bypass Plastic Assy	
60385-X.....	Injector Assembly (specify size of injector)	
Red #0....00	Blank ... 0.....Blank ... 0	
White #1 ...01	1.2 1.....0.25 1	
Blue #202	1.5 2.....0.50 2	
Yellow #3 ..03	2.0 3.....1.00 3	
Green #4...04	2.4 4 3.0 5 3.5 6 4.0 7 5.0 8 7.0 9	

continued

60610-01	Meter, 2850/9500, 1 1/2" Std	14202-01	Screw, Hex Washer Mach, 8-32 x 5/16
60610-01HW	Meter, 2850/9500, 1 1/2" Std, HW 150°	18-8 S.S.	
60610-01NP	Meter, 2850/9500, 1 - 1/2" Std, N/P	13255.....	Clip, Mounting
60610-02	Meter, 2850/9500, 1 - 1/2" Ext	15078-01	Adapter Assy, 1" Coupling
60610-02HW	Meter, 2850/9500, 1 1/2" Ext, HW 150°	14864-01	Adapter, 9000/9100, 2nd Tank, Machd
60610-02NP	Meter, 2850/9500, 1 - 1/2" Ext, N/P	w/O-rings	
60610-21	Meter, 2850/9500, 1 - 1/2" Std/BSP	14864-01NP	Adapter, 9000/9100, 2nd Tank, Machd,
	Metric		NP
60610-21NP	Meter, 2850/9500, 1 - 1/2" Std/BSP	15823-06	Yoke Assy, 6" Tank & 6" Tube
	Metric, Nickel Plated	15823-06NP	Yoke Assy, 6" Tank, NP 6" Tubes
60610-22	Meter, 2850/9500, 1 - 1/2" Ext/BSP	15823-12	Yoke Assy, 6" - 12" Tank, 8 1/2 Tube
	Metric	15823-12NP	Yoke Assy, 6" - 12" Tank, NP 8 1/2"
60610-22NP	Meter, 2850/9500, 1 - 1/2" Ext/BSP	Tubes	
	Metric/Nickel Plated	15823-14	Yoke Assy, 14" Tank, 10 1/2" Tube
60611-01HW.....	Meter, 2850/9500, 1" Sleeve, 1 1/2" Std,	15823-14NP	Yoke Assy, 14" Tank, NP 10 1/2" Tube
	HW 150°	15823-16	Yoke Assy, 16" Tank, 12 1/2" Tube
60611-01.....	Meter, 2850/9500, 1" Sleeve, 1 1/2" Std	15823-16NP	Yoke Assy, 16" Tank, NP 12 1/2" Tube
	Meter		
60611-01NP.....	Meter, 2850/9500, 1" Sleeve, NP		
	1 1/2" Std Meter	60425-12	Tube Assy, 9100, 6-12" Tanks
60611-02.....	Meter, 2850/9500, 1" Sleeve, 1 1/2" Ext	60425-16	Tube Assy, 9100, 13-16" Tanks
	Meter	14865.....	Adapter Assy, 2nd Tank, 9100
60611-02NP.....	Meter, 2850/9500, 1" Sleeve, NP 1 1/2"	61419.....	Kit, 1.05" Distributor Adapter
	Ext Meter		
17790.....	Sleeve, Meter, 1 1/2" x 1" (NOTE: when		
	reducing a 1-1/2" meter to a 1" meter,		
	the program wheel and timer settings		
	must be changed to a 1" meter size)		
60460.....	Meter Checker Kit, Std	16919-01	Valve Body, 9500 Machd
60461.....	Meter Checket Kit, Ext	16919-01NP	Valve Body, 9500 Machd, NP
		16919-21	Valve Body, 9500 BSP, Mtrc, Machd
		16919-21NP	Valve Body, 9500 BSP, Mtrc, Machd
			Nickel Plated
		60715-16	Tube Assy, 9500, 2nd Tank for 14" to 16"
			Tanks
		60715-16NP	Tube Assy, 9500, 2nd Tank, NP for 14"
			to 16" Tanks
		60715-20	Tube Assy, 9500, 2nd Tank for 20" Tanks
		60715-24	Tube Assy, 9500, 2nd Tank for 20" and
			24" Tanks
		60715-24NP	Tube Assy, 9500, 2nd Tank, Nickel for
			20-24" Tanks
		61701-01	Plug Assy, End Cap 9000/9100
		61701-02	Plug Assy, End Cap 9500
60125.....	Seal & Spacer Kit, 5600/9000 Top	12763.....	Stuffer Tool Assy, 5600/9000
60125-20	Seal & Spacer Kit, Top, 559 PE Cold	13061.....	Puller Assy, Port Ring
	and Chloramine	13759.....	Tool, DLFC Retainer
60125HW.....	Seal & Spacer Kit, 9000/9100, Upper		
	HW 180°		
60133-01	Seal & Spacer Kit, 9500, Lower, Cold &	40688.....	Valve Body Assy, 9100
	HW 180°	18303.....	O-ring, -336
60133-20	Seal & Spacer Kit, 9500, Lower	18569.....	Retainer, Tank Seal
60133-30	Seal & Spacer Kit, 9500, Lower		
60134.....	Seal & Spacer Kit, 9500, Upper, Cold &		
	HW 180°		
60134-20	Seal & Spacer Kit, 9500, Upper		
60134-30	Seal & Spacer Kit, 9500, Upper		
60421.....	Seal & Spacer Kit, 9000/9100, Bottom		
60421-20	Seal & Spacer Kit, 9000/9100, Bottom		
	559PE		
60421HW.....	Seal & Spacer Kit, 9000/9100, Bottom,		
	HW 180°		

